

GT Products, Inc.  
**SAFETY DATA SHEET**

---

1. PRODUCT IDENTIFICATION

---

**TRADE NAME:** GT-5090  
**OTHER MEANS OF IDENTIFICATION:**  
**RECOMMENDED USE OF PRODUCT:** Condensation Cure Base  
**SUPPLIER'S DETAILS:** GT Products, Inc.  
501 Industrial Blvd.  
Grapevine, TX 76051  
Telephone: (800) 221-0866  
(817) 481-7113  
Fax: (817) 421-1211

**EMERGENCY CONTACT:** CHEMTREC (24 Hours):1-800-424-9300

---

2. HAZARDS IDENTIFICATION

---

**GHS CLASSIFICATION**

*PHYSICAL HAZARDS* Not Classified  
*HEALTH HAZARDS* Reproductive Toxicity – Category 2  
*ENVIRONMENTAL HAZARDS* Not Classified

**GHS LABEL ELEMENTS**

*PICTOGRAMS*



*SIGNAL WORDS* Warning  
*HAZARD STATEMENTS* H361: Suspected of damaging fertility  
*PRECAUTIONARY STATEMENTS [PREVENTION]* P201: Obtain special instructions before use  
P202: Do not handle until all safety precautions have been read and understood  
P281: Use personal protective equipment as required  
*[RESPONSE]* P308+313: IF exposed or concerned: Get medical advice/attention

---

GT Products, Inc.  
**SAFETY DATA SHEET**

[STORAGE]

P405: Store locked up

[DISPOSAL]

P501-Dispose of contents/container through a waste management company authorized by the local government.

---

3. COMPOSITION AND INFORMATION ON INGREDIENTS

---

**Substance or Mixture**

Mixture

*Hazardous Ingredients*

*CAS#*

*Percentage (%)*

Octamethylcyclotetrasiloxane

556-67-2

<2.5%

Polydimethyl(methyl vinyl)siloxane,  
hydroxyl terminated

67923-19-7

1-5%

\*Titanium dioxide

13463-67-7

0.1 - 1

\*This product in the physical state as sold (liquid paste) should not present a dust hazard, which is the hazardous form of titanium dioxide, under normal conditions.

---

4. FIRST AID MEASURES

---

**INGESTION:**

Rinse mouth. Never give anything by mouth to an unconscious person. Seek medical attention; Do NOT induce vomiting.

**SKIN CONTACT:**

Remove contaminated clothing immediately and dispose of safely. When in contact with the skin, clean with soap and water.

**INHALATION:**

Remove to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician if symptoms develop or persist.

**EYE CONTACT:**

Immediately flush with COOL water for 15 minutes; Call a physician if irritation persists.

**PROTECTION FOR FIRST-AIDERS:**

A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles

---

5. FIRE-FIGHTING MEASURES

---

**SUITABLE EXTINGUISHING MEDIA:**

Foam, carbon dioxide, dry chemical

**SPECIFIC FIRE HAZARDS:**

Fire will form hazardous combustion gases of carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), SiO<sub>2</sub>, and oxides of nitrogen (NO<sub>x</sub>). Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a potential cancer hazard

**FIREFIGHTER EQUIPMENT:**

Wear respirator and all protective coverings.

GT Products, Inc.  
**SAFETY DATA SHEET**

---

6. ACCIDENTAL RELEASE MEASURES

---

**PERSONAL PRECAUTIONS,  
PROTECTIVE EQUIPMENT AND  
EMERGENCY:** Safety glasses and gloves are suggested to prevent eye and skin contact. Provide sufficient ventilation.

**ENVIRONMENTAL  
PRECAUTIONS:** Prevent product from entering drains.

**CLEAN UP:** Scrape up and disposed of in accordance with appropriate laws and regulations.

---

7. HANDLING AND STORAGE

---

**HANDLING:** Wear protective equipment; Avoid contact with skin and eyes.

**STORAGE:** Keep container tightly closed. Store in a cool, dry place. Keep away from oxidizing material. Store locked up

---

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

---

**EXPOSURE LIMITS:**

<i>Hazardous Ingredient</i>	<i>CAS#</i>	<i>Limit/Set by</i>
Octamethylcyclotetrasiloxane	556-67-2	Not established.
Polydimethyl(methylvinyl)siloxane, hydroxyl terminated	67923-19-7	Not established.
Titanium dioxide	13463-67-7	For Respirable Dust (TWA) TLV: 10mg/m <sup>3</sup> /(ACGIH), PEL: 15mg/m <sup>3</sup> /(OSHA)

**ENGINEERING CONTROLS:** None Available

**PERSONAL PROTECTIVE  
EQUIPMENT:**

**RESPIRATORY PROTECTION:** Not required under normal use

**HAND PROTECTION** Protective gloves

**EYE PROTECTION** Wear safety glasses or goggles. Face shield if situation requires

**SKIN AND BODY PROTECTION** Protective clothing if situation requires

---

9. PHYSICAL AND CHEMICAL PROPERTIES

---

**PHYSICAL STATE:** Flowable Paste

**ODOR:** No Odor

**ODOR THRESHOLD:** Not Available

**pH:** Not Available

**MELTING POINT:** Not Available

**BOILING POINT RANGE:** Not Applicable, will decompose before it will boil

**FLASH POINT:** >205°F (Setaflash)

**EVAPORATION RATE:** Not Available

**FLAMMABILITY(solid/gas):** Not Available

**EXPLOSION LIMITS:**

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

<i>UPPER</i>	Not Available
<i>LOWER</i>	Not Available
<b>VAPOR PRESSURE:</b>	Not Available
<b>VAPOR DENSITY:</b>	All vapors are denser than air
<b>RELATIVE DENSITY:</b>	1.1 g/mL
<b>SOLUBILITY:</b>	Not soluble in water
<b>PARTITION COEFFICIENT: N-OCTANOL/WATER:</b>	Not Available
<b>AUTO-IGNITION TEMPERATURE:</b>	Not Available
<b>DECOMPOSITION TEMPERATURE:</b>	>150°C
<b>VISCOSITY:</b>	30,000 - 50,000 cS

---

10. STABILITY AND REACTIVITY

---

<b>REACTIVITY:</b>	Product is designed to react with a catalyst to initiate vulcanization.
<b>CHEMICAL STABILITY:</b>	Stable in the absence of contamination
<b>HAZARDOUS REACTIONS:</b>	None
<b>CONDITIONS TO AVOID:</b>	Avoid contact with strong acids, alkalis, and oxidizing agents.
<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b>	Hazardous combustion gases of carbon dioxide(CO <sub>2</sub> ), carbon monoxide(CO), SiO <sub>2</sub> , and oxides of nitrogen (NO <sub>x</sub> ). Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a potential cancer hazard
<b>INCOMPATIBILITY:</b>	Acids, Alkalis, Oxidizing Agents

---

11. TOXICOLOGICAL INFORMATION

---

<b>ACUTE TOXICITY:</b>	Oral – LD <sub>50</sub> (Rat): >10,000 mg/kg (calculated from known toxicities)
<b>SKIN CORROSION/IRRITATION:</b>	Not Available
<b>EYE DAMAGE/IRRITATION:</b>	Not Available
<b>RESPIRATORY OR SKIN SENSITATION:</b>	Not Available
<b>GERM CELL MUTAGENICITY:</b>	Not Available
<b>CARCINOGENICITY:</b>	Titanium dioxide is listed by the IARC under its 2B classification. It is also listed by the ACGIH under its A4 classification. However, these two hazards are associated with titanium dioxide in its dust form. As mentioned in Section 3, titanium dioxide in its current form should not produce a dust hazard.
<b>REPRODUCTIVE TOXICITY:</b>	Octamethylcyclotetrasiloxane is suspected of damaging fertility. A two year combined chronic/carcinogenicity assay was conducted on octamethylcyclotetrasiloxane (D4). Fischer-344 rats were exposed by whole body vapor inhalation 6hr/day, 5 days/week for up to 103 weeks to 0, 10,30, 150 or 700ppm of D4. A statistically significant increase in incidence of uterine endometrial cell hyperplasia and uterine adenomas (benign tumors) were observed in female rats at 700ppm. Since these effects only occurred at 700ppm, a level that greatly exceeds typical workplace or

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

<b>STOST- SINGLE EXPOSURE:</b>	consumer exposure, it is unlikely that industrial, commercial or consumer uses of products containing D4 would result in a significant risk to humans.
<b>STOST- REPEATED EXPOSURE:</b>	Not Available
<b>ASPIRATION HAZARD:</b>	Not Available

---

12. ECOLOGICAL INFORMATION

---

<b>ECOTOXICITY:</b>	Do not allow to enter soil, waterways or waste water canal. It is not allowed to be released into biological sewage treatment plants. Ecological data is not available.
<b>PERSISTENCE/DEGRADABILITY:</b>	Not Available
<b>BIOACCUMULATIVE POTENTIAL:</b>	Not Available
<b>MOBILITY IN SOIL:</b>	Not Available

---

13. DISPOSAL CONSIDERATIONS

---

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

---

14. TRANSPORT INFORMATION

---

<b>UN/NA Number:</b>	Not Regulated
<b>DOT SHIPPING NAME:</b>	Not Regulated
<b>DOT HAZARD CLASS:</b>	Not Regulated
<b>IMDG – P.S.N.:</b>	Not Regulated
<b>IMDG – CLASS:</b>	Not Regulated
<b>IMDG – PACKING GROUP:</b>	Not Regulated
<b>IMDG – Marine Pollutant:</b>	Not Regulated
<b>IATA - P.S.N.:</b>	Not Regulated
<b>IATA - CLASS:</b>	Not Regulated
<b>IATA – PACKING GROUP:</b>	Not Regulated

This product and its ingredients are NOT considered dangerous goods according to the **UN Model Regulations, ADR, RID, and the ADN.**

---

15. REGULATORY INFORMATION

---

**US REGULATIONS**

**US SARA REPORTING REQUIREMENTS:** The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

---

GT Products, Inc.  
**SAFETY DATA SHEET**

<i>Hazardous Ingredient</i>	<i>SARA 302 (40 CFR 355, Appendix A)</i>	<i>SARA 304 (40 CFR Table 302.4)</i>	<i>SARA 313 (40 CFR 372.65)</i>
Octamethylcyclotetrasiloxane	No	No	No
Polydimethyl(methyl vinyl)siloxane, hydroxyl terminated	No	No	No
Titanium dioxide	No	No	No

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**SARA 311/312(40 CFR 370) HAZARDS:** Acute: No, Chronic: Yes, Fire: No, Pressure: No

**CALIFORNIA, (PROPOSITION 65):** Titanium dioxide

**TSCA INVENTORY STATUS:** These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

**CANADIAN DSL/NDSL INVENTORY:** The components of this product are on the DSL or NDSL Inventories.

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES(AICS) STATUS:** The components of this product are listed on the AICS

**KOREAN INVENTORY:** The components of this product are listed or exempted.

**16. OTHER INFORMATION**

Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

We believe the above information is correct as of the date of this MSDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 12/07/15

Made By: Daniel Shaw

GT Products, Inc.  
**SAFETY DATA SHEET**

---

1. PRODUCT IDENTIFICATION

---

**TRADE NAME:** CA-5090  
**OTHER MEANS OF IDENTIFICATION:**  
**RECOMMENDED USE OF PRODUCT:** Curing catalyst for condensation base  
**SUPPLIER'S DETAILS:** GT Products, Inc.  
501 Industrial Blvd.  
Grapevine, TX 76051  
Telephone: (800) 221-0866  
(817) 481-7113  
Fax: (817) 421-1211

**EMERGENCY CONTACT:** CHEMTREC (24 Hours):1-800-424-9300

---

2. HAZARDS IDENTIFICATION

---

**GHS CLASSIFICATION**

**PHYSICAL HAZARDS** Flammable - Category 3  
**HEALTH HAZARDS** Acute Toxicity, Oral – Category 5  
STOT, Repeated Exposure – Category 2 (Bladder)  
**ENVIRONMENTAL HAZARDS** Not Classified

**GHS LABEL ELEMENTS**

**PICTOGRAMS**



**SIGNAL WORDS** Warning  
**HAZARD STATEMENTS** H226: Flammable liquid and vapour  
H303: May be harmful if swallowed  
H373: May cause damage to organs, bladder, through prolonged or repeated exposure by ingestion.

**PRECAUTIONARY STATEMENTS**  
**[PREVENTION]**

P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

P233: Keep container tightly closed

P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical/ventilating/light/.../equipment

P242: Use only non-sparking tools

P243: Take precautionary measures against static discharge

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P280: Wear protective gloves/protective clothing/eye protection/face protection.

*[RESPONSE]*

P312: Call a POISON CENTER or doctor/physician if you feel unwell

P314: Get Medical advice/attention if you feel unwell

P370+378: In case of fire, use an Class ABC dry extinguisher for extinction

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

*[STORAGE]*

P403+P235-Store in a well-ventilated place. Keep cool.

*[DISPOSAL]*

P501-Dispose of contents/container through a waste management company authorized by the local government.

---

### 3. COMPOSITION AND INFORMATION ON INGREDIENTS

---

**Substance or Mixture**

Mixture

*Hazardous Ingredients*

*CAS#*

*Percentage (%)*

Phenyltrimethoxysilane

2996-92-1

25-35

Dimethyldineodecanoatetin

68928-76-7

1-4

---

### 4. FIRST AID MEASURES

---

**INGESTION:**

Rinse with water. If swallowed: Call a poison center or doctor/physician if you fell unwell. Never give anything by mouth to an unconscious person.

---



GT Products, Inc.  
**SAFETY DATA SHEET**

---

<b>SKIN CONTACT:</b>	Remove contaminated clothing immediately and dispose of safely. When in contact with the skin, clean with soap and water.
<b>INHALATION:</b>	Remove to fresh air. If breathing is difficult, give oxygen. Call a physician if symptoms develop or persist.
<b>EYE CONTACT:</b>	Immediately flush with COOL water for 15 minutes; Call a physician if irritation persists.
<b>PROTECTION FOR FIRST-AIDERS:</b>	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles

---

5. FIRE-FIGHTING MEASURES

---

<b>SUITABLE EXTINGUISHING MEDIA:</b>	Foam, Carbon Dioxide, Dry Chemical
<b>SPECIFIC FIRE HAZARDS:</b>	Fire will form hazardous combustion gases of Carbon dioxide(CO <sub>2</sub> ), Carbon Monoxide(CO), and Nitrogen Oxides(NO <sub>x</sub> ) Product contains silicone, which is known to produce formaldehyde and benzene when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a potential cancer hazard
<b>FIREFIGHTER EQUIPMENT:</b>	Do not breathe in fumes. Wear respirator and all protective coverings.

---

6. ACCIDENTAL RELEASE MEASURES

---

<b>PERSONAL PRECATIONS, PROTECTIVE EQUIPMENT AND EMERGENCY:</b>	Keep unnecessary personnel out of the way. Eliminate all ignition sources. Safety glasses and gloves are suggested to prevent eye and skin contact. Provide sufficient ventilation.
<b>ENVIRONMENTAL PRECAUTIONS:</b>	Prevent product from entering drains.
<b>CLEAN UP:</b>	Absorb spilled material with suitable absorbent (e.g. rag, dry sand, clay absorbent) and disposed of, in accordance with appropriate laws and regulations.

---

7. HANDLING AND STORAGE

---

<b>HANDLING:</b>	Wear protective equipment; Use in a well-ventilated area; Avoid contact with skin and eyes. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use explosion-proof electrical/ventilating/light/.../equipment.
<b>STORAGE:</b>	Keep container tightly closed. Store in a cool, dry place. Keep away from oxidizing material.

---

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

---

<b>EXPOSURE LIMITS:</b>		
<i>Hazardous Ingredient</i>	<i>CAS#</i>	<i>Limit/Set by</i>
Methanol; decomposition product	67-56-1	200 ppm 8hr TWA *PEL/ OSHA

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

Phenyltrimethoxysilane

2996-92-1

50ppm TWA

*\*PEL/OSHA = Permissible Exposure Limit/ Occupational Safety and Health Administration*

**ENGINEERING CONTROLS:**

Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath

**PERSONAL PROTECTIVE EQUIPMENT:**

*RESPIRATORY PROTECTION:*

Vapor respirator. Follow local and national regulations.

*HAND PROTECTION*

Protective gloves

*EYE PROTECTION*

Wear safety glasses or goggles. Face shield if situation requires

*SKIN AND BODY PROTECTION*

Protective clothing if situation requires

---

9. PHYSICAL AND CHEMICAL PROPERTIES

---

**PHYSICAL STATE:**

Liquid

**ODOR:**

Characteristic ester odor

**ODOR THRESHOLD:**

Not Available

**pH:**

Not Available

**MELTING POINT:**

Not Available

**BOILING POINT RANGE:**

Not Applicable, will decompose before it will boil

**FLASH POINT:**

>75°F

**EVAPORATION RATE:**

Not Available

**FLAMMABILITY(solid/gas):**

Not Available

**EXPLOSION LIMITS:**

*UPPER*

Not Available

*LOWER*

Not Available

**VAPOR PRESSURE:**

Not Available

**VAPOR DENSITY:**

All vapors are denser than air

**RELATIVE DENSITY:**

1.04 g/mL

**SOLUBILITY:**

Not soluble in water

**PARTITION COEFFICIENT: N-**

**OCTANOL/WATER:**

Not Available

**AUTO-IGNITION TEMPERATURE:**

Not Available

**DECOMPOSITION**

**TEMPERATURE:**

>150°C

**VISCOSITY:**

50-100cP

---

10. STABILITY AND REACTIVITY

---

**REACTIVITY:**

Product is designed to react with a silanol-containing base in the presence of moisture and cure. Will react with the moisture in the air and harden if left uncapped.

**CHEMICAL STABILITY:**

Stable in the absence of contamination or moisture

**HAZARDOUS REACTIONS:**

Upon contact with water, the product will release methanol, which have some health ramifications associated with it. SEE TOXICOLOGICAL INFORMATION.

**CONDITIONS TO AVOID:**

Avoid contact with water and strong acid. Keep away from sources of heat as well as sources of ignition

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b>	Hazardous combustion gases of Carbon dioxide(CO <sub>2</sub> ), Carbon Monoxide(CO), and Nitrogen Oxides(NO <sub>x</sub> ) Product contains silicone, which is known to produce formaldehyde and benzene when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a potential cancer hazard. Benzene is a known carcinogen.
<b>INCOMPATIBILITY:</b>	Water, acids, alkalis, iron, may react violently with electrophiles such as ferric chloride

---

11. TOXICOLOGICAL INFORMATION

---

<b>ACUTE TOXICITY:</b>	Calculated from known values for mixture: Oral – LD <sub>50</sub> (Rat): >2000mg/kg
<b>SKIN CORROSION/IRRITATION:</b>	Prolonged skin contact may cause temporary irritation.
<b>EYE DAMAGE/IRRITATION:</b>	Direct contact with eyes may cause temporary irritation.
<b>RESPIRATORY OR SKIN SENSITATION:</b>	Not Available
<b>GERM CELL MUTAGENICITY:</b>	Not Available
<b>CARCINOGENICITY:</b>	Not Available
<b>REPRODUCTIVE TOXICITY:</b>	Not Available
<b>STOST- SINGLE EXPOSURE:</b>	Not Available
<b>STOST- REPEATED EXPOSURE:</b>	Category 2 hazard – for Methanol; decomposition product (<1%): May cause conjunctivitis, dizziness, sleeplessness, and gastrointestinal and optical disturbances. Category 2 hazard – for phenyltrimethoxysilane: May cause damage to organs (bladder) through prolonged or repeated exposure.
<b>ASPIRATION HAZARD:</b>	Not Available

---

12. ECOLOGICAL INFORMATION

---

<b>ECOTOXICITY:</b>	Do not allow to enter soil, waterways or waste water canal. It is not allowed to be released into biological sewage treatment plants. Ecological data is not available.
<b>PERSISTENCE/DEGRADABILITY:</b>	Not Available
<b>BIOACCUMULATIVE POTENTIAL:</b>	Not Available
<b>MOBILITY IN SOIL:</b>	Not Available

---

13. DISPOSAL CONSIDERATIONS

---

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

---

14. TRANSPORT INFORMATION

---

<b>UN/NA Number:</b>	UN1993.
----------------------	---------

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

**DOT SHIPPING NAME:** "FLAMMABLE LIQUID N.O.S. – Silicone Mixture Contains Methanol"  
**DOT HAZARD CLASS:** Flammable Liquid.

**IMDG – P.S.N.:** FLAMMABLE LIQUID N.O.S. (Methanol)  
**IMDG – CLASS:** Class 3  
**IMDG – PACKING GROUP:** PGIII  
**IMDG – Marine Pollutant:** No  
**IATA - P.S.N.:** FLAMMABLE LIQUID N.O.S. (Methanol)  
**IATA - CLASS:** Class 3  
**IATA – PACKING GROUP:** PGIII

This product and its ingredients are NOT considered dangerous goods according to the *UN Model Regulations, ADR, RID, and the ADN.*

---

15. REGULATORY INFORMATION

**US REGULATIONS**

**US SARA REPORTING REQUIREMENTS:** The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

<i>Hazardous Ingredient</i>	<i>SARA 302 (40 CFR 355, Appendix A)</i>	<i>SARA 304 (40 CFR Table 302.4)</i>	<i>SARA 313 (40 CFR 372.65)</i>
Phenyltrimethoxysilane	No	No	No
Dimethyldineodecanoatetin	No	No	No

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**SARA 311/312(40 CFR 370) HAZARDS:** Acute: Yes, Chronic: Yes, Fire: Yes, Pressure: No

**CALIFORNIA, (PROPOSITION 65):** Neither this product nor its ingredients are listed

**TSCA INVENTORY STATUS:** These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

**CANADIAN DSL/NDSL INVENTORY:** The components of this product are on the DSL or NDSL Inventories.

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES(AICS) STATUS:** The components of this product are listed on the AICS except:  
None

---

16. OTHER INFORMATION

Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

Section 8 *Exposure Limits* attained from [www.osha.gov](http://www.osha.gov) and [www.aiha.org](http://www.aiha.org) .

We believe the above information is correct as of the date of this MSDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's

GT Products, Inc.  
**SAFETY DATA SHEET**

obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 08/31/15

Made By: Daniel Shaw