1. PRODUCT IDENTIFICATION

TRADE NAME: X-5466

OTHER MEANS OF IDENTIFICATION:

RECOMMENDED USE OF

PRODUCT:

SUPPLIER'S DETAILS: GT Products, Inc. 501 Industrial Blvd.

Grapevine, TX 76051

Sprayable Adhesive

Telephone: (800) 221-0866

(817) 481-7113 Fax: (817) 421-1211

EMERGENCY CONTACT: CHEMTREC (24 Hours):1-800-424-9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

PHYSICAL HAZARDS Flammable Liquid – Category 3

HEALTH HAZARDS Acute Toxicity, Inhalation – Category 4

Skin Irritation – Category 2 Eye Irritation – Category 2B

Specific Targeted Organ Toxicity, Single Exposure – Category 2


Aspiration Hazard – Category 1

ENVIRONMENTAL HAZARDS Aquatic Toxicity, Chronic – Category 2

GHS LABEL ELEMENTS

GHS X5466 printed: 01/08/16 page 1 of 8

PICTOGRAMS



SIGNAL WORD HAZARD STATEMENTS Danger

H226: Flammable liquid and vapour

H304: May be fatal if swallowed and enters airways

H315: Causes skin irritation H320: Causes eye irritation

H332: Harmful if inhaled

H371: May cause damage to organs<respiratory system>

H411: Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS
[PREVENTION]

P210: Keep away from heat/sparks/open flames/hot surfaces - No

smoking

P233: Keep container tightly closed

P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical/ventilating/light/.../equipment

P242: Use only non-sparking tools

P243: Take precautionary measures against static discharge

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P264: Wash hands thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P271: Use only outdoors or in a well-ventilated area

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye

protection/face protection

GHS X5466 printed: 01/08/16 page 2 of 8

[RESPONSE]	P301+310: IF SWALLOWED: Immediately call a POISON CENTER
	or doctor/physician
	P302+352: IF ON SKIN: Wash with soap and water
	P303+361+353: IF ON SKIN (or hair): Remove/Take off
	immediately all contaminated clothing. Rinse skin with water/shower
	P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
	P305+351+338: IF IN EYES: Rinse cautiously with water for
	several minutes. Remove contact lenses if present and easy to do – continue rinsing
	P312: Call a POISON CENTER or doctor/physician if you feel unwell
	P331: Do NOT induce vomiting
	P332+313: If skin irritation occurs: Get medical advice/attention
	P337+313: If eye irritation persists get medical advice/attention
	P362: Take off contaminated clothing and wash before reuse
	P370+378: In case of fire: Use ABC Dry Chemical for extinction
	P391: Collect spillage
[STORAGE]	P403+235: Store in a well ventilated place. Keep cool P405: Store locked up
[DISPOSAL]	P501: Dispose of contents/container in accordance with local/regional/national/international regulation

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Substance or Mixture	Mixture		
Hazardous Ingredients	CAS#	Percentage (%)	
Light Aromatic Naphtha	64742-95-6	32-39	
1, 2, 4 - Trimethylbenzene	95-63-6	17-24	
Xylenes	1330-20-7	0-3	
dimethyl, methylhydrogen siloxane copolymers, methyl endblocked	68037-59-2	0-5	
4. FIRST AID MEASURES			
INGESTION: SKIN CONTACT:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Remove contaminated clothing immediately and dispose of safely. When in contact with the skin, clean with soap and water.		

GHS X5466 printed: 01/08/16 page 3 of 8

GT Products, Inc.

SAFETY DATA SHEET

INHALATION: If breathed in, move person into fresh air. If not breathing, give

artificial respiration. Consult a physician.

Foam, Carbon Dioxide, Dry Chemical

EYE CONTACT: Immediately flush with COOL water for 15 minutes; Call a

physician if irritation persists.

A rescuer should wear personal protective equipment, such as PROTECTION FOR FIRST-AIDERS:

rubber gloves, air-tight goggles, and NIOSH-approved respirator

FIRF-FIGHTING MFASURES

SUITABLE EXTINGUISHING

SPECIFIC FIRE HAZARDS:

MEDIA:

Fire will form hazardous combustion gases of Carbon dioxide(CO₂)

and Carbon Monoxide(CO)

Product contains silicone, which is known to produce

formaldehyde when temperatures reach in excess of 150°C.

Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

Wear respirator and all protective coverings. FIREFIGHTER EQUIPMENT:

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECATIONS. PROTECTIVE EQUIPMENT AND

EMERGENCY: ENVIRONMENTAL PRECAUTIONS:

Safety glasses and gloves are suggested to prevent eye and skin contact. Avoid breathing vapors, mist or gas. Provide sufficient

ventilation.

Prevent product from entering drains.

CLEAN UP: Dispose of in accordance with appropriate laws and regulations.

7. HANDLING AND STORAGE

HANDLING: Wear protective equipment; Avoid contact with skin and eyes.

Avoid inhalation of vapors.

Keep container tightly closed. Store in a cool, dry place. Keep STORAGE:

away from oxidizing material. Store locked up.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE LIMITS:

Hazardous Ingredient	CAS#	Limit/Set by
Light Aromatic Naphtha	64742-95-6	100ppm TWA/OSHA
		25ppm TLV/ACGIH
1, 2, 4 - Trimethylbenzene	95-63-6	25ppm TWA/OSHA
		25ppm TLV/ACGIH
Xylenes	1330-20-7	100ppm TWA/OSHA
		100ppm TLV/ACGIH
dimethyl, methylhydrogen	68037-59-2	None Available
siloxane copolymers, methyl		
endblocked		

GHS X5466 printed: 01/08/16 page 4 of 8

ENGINEERING CONTROLS: Good general ventilation.

PERSONAL PROTECTIVE

EQUIPMENT:

RESPIRATORY PROTECTION: Where risk assessment shows air-purifying respirators are

appropriate use a full-face particle respirator as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

HAND PROTECTION Nitrile gloves: 0.11mm minimum thickness

EYE PROTECTION Wear safety glasses or goggles. Face shield if situation requires.

Have an eyewash station easily accessible.

SKIN AND BODY PROTECTION Protective clothing if situation requires. Have safety shower that is

easily accessible.

PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Thin Liquid ODOR: Aromatic

ODOR THRESHOLD: Not Available Not Available

MELTING POINT:Not AvailableBOILING POINT:>150C

FLASH POINT: >150C 109°F (Setaflash)

EVAPORATION RATE: Not Available FLAMMABILITY(solid/gas): Not Available

EXPLOSION LIMITS:

UPPERNot AvailableLOWERNot AvailableVAPOR PRESSURE:Not AvailableVAPOR DENSITY:Not AvailableRELATIVE DENSITY:0.93 g/mL

SOLUBILITY: Not soluble in water

PARTITION COEFFICIENT: N-

OCTANOL/WATER:

AUTO-IGNITION TEMPERATURE: Not Available >150°C

TEMPERATURE:

VISCOSITY: Not Available

10. STABILITY AND REACTIVITY

REACTIVITY: Product is designed to cure when heat is applied, driving off an

inhibitor

Not Available

CHEMICAL STABILITY: Stable in the absence of contamination

HAZARDOUS REACTIONS: None

CONDITIONS TO AVOID:

HAZARDOUS DECOMPOSITION

PRODUCTS:

Avoid contact with strong acids, bases, and oxidizing agents Hazardous combustion gases of Carbon dioxide (CO₂), Carbon

Monoxide (CO), SiO_2 , and Contact with acids or bases releases

flammable hydrogen gas.

GHS X5466 printed: 01/08/16 page 5 of 8

GT Products, Inc.

SAFETY DATA SHEET

Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

INCOMPATIBILITY: Acids, alkalis, strong oxidizing agents

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Oral – LD₅₀(Rat): >7000 mg/kg (calculated from known toxicities)

*listed as Acute Toxicity, Inhalation – Category 4 because the solvent used is listed as such, but does not report any LD₅₀ data.

SKIN CORROSION/IRRITATION: Light Aromatic Naphtha, 1, 2, 4 – Trimethylbenzene, Xylenes, and

dimethyl, methylhydrogen siloxane copolymers, methyl endblocked are listed as Skin Irritation – Category 2. Primary

irritation to skin, defatting, dermatitis.

EYE DAMAGE/IRRITATION: Light Aromatic Naphtha, 1, 2, 4 – Trimethylbenzene, Xylenes, and

dimethyl, methylhydrogen siloxane copolymers, methyl endblocked are listed as Eye Irritation – Category 2B. Primary

irritation to eyes, redness, tearing, blurred vision. Not Available

RESPIRATORY OR SKIN

SENSITATION:

Not Available

GERM CELL MUTAGENICITY:

CARCINOGENICITY:

REPRODUCTIVE TOXICITY:

Contains no known carcinogens above the 0.1% threshold. Not Available

STOST- SINGLE EXPOSURE:

Light Aromatic Naphtha, 1, 2, 4 – Trimethylbenzene, Xylenes, and

dimethyl, methylhydrogen siloxane copolymers, methyl endblocked are listed as to target the respiratory system.

STOST- REPEATED EXPOSURE:

ASPIRATION HAZARD:

Not Available

Light Aromatic Naphtha, 1, 2, 4 – Trimethylbenzene, Xylenes are listed as Aspiration Hazard – Category 1. Swallowing can cause abdominal irritation, nausea, vomiting and diarrhea. The symptoms of chemical pneumonitis may not show up for a few

days.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: This product may be harmful or fatal to plant and animal life if

released into the environment. Fish are the most sensitive known aquatic group adversely affected by components of this product. This product is toxic to aquatic organisms. Do not allow to enter soil, waterways or waste water canal. It is not allowed to be released into biological sewage treatment plants. Ecological data

is not available.

PERSISTENCE/DEGRADABILITY:

This product is not biodegradable.

BIOACCUMULATIVE POTENTIAL:

This product does not accumulate or biomagnify in the

environment.

MOBILITY IN SOIL: This material is a mobile liquid.

13. DISPOSAL CONSIDERATIONS

GHS X5466 printed: 01/08/16 page 6 of 8

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

If shipped in Non-Bulk Packaging

(<119gals)

UN/NA Number: NA1993

DOT SHIPPING NAME: COMBUSTIBLE LIQUID N.O.S. (Contains Aromatic Hydrocarbons)

DOT HAZARD CLASS: COMBUSTIBLE LIQUID

DOT PACKING GROUP: PGIII

If shipped in Bulk Packaging

(<u>></u>119gals)

UN/NA Number: UN1993

DOT SHIPPING NAME: FLAMMABLE LIQUID N.O.S. (Contains Aromatic Hydrocarbons)

DOT HAZARD CLASS: 3, FLAMMABLE LIQUID,

DOT PACKING GROUP: PGIII

IMDG – P.S.N.: FLAMMABLE LIQUID N.O.S. (Contains Aromatic Hydrocarbons)

IMDG – CLASS: 3, FLAMMABLE LIQUID

IMDG = PACKING GROUP: PGIII
IMDG = Marine Pollutant: Yes

IATA - P.S.N.: FLAMMABLE LIQUID N.O.S. (Contains Aromatic Hydrocarbons)

IATA - CLASS: 3, FLAMMABLE LIQUID,

IATA – PACKING GROUP: PGIII

This product and its ingredients are NOT considered dangerous goods according to the **UN Model**

Regulations, ADR, RID, and the ADN.

15. REGULATORY INFORMATION

US REGULATIONS

US SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

Hazardous Ingredient	SARA 302 (40 CFR 355, Appendix A)	SARA 304 (40 CFR Table 302.4)	SARA 313 (40 CFR 372.65)
Light Aromatic Naphtha	No	No	No
1, 2, 4 - Trimethylbenzene	No	No	Yes
Xylenes	No	No	Yes
dimethyl, methylhydrogen siloxane copolymers, methyl endblocked	No	No	No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

U.S. CERCLA REPORTABLE QUANTITY (RQ): Xylenes (CAS#1330-20-7) - 100lbs

SARA 311/312(40 CFR 370) HAZARDS: Acute: Yes, Chronic: Yes, Fire: Yes, Pressure: No

GHS X5466 printed: 01/08/16 page 7 of 8

CALIFORNIA, **(PROPOSITION 65)**: Neither this product nor its ingredients are listed. **TSCA INVENTORY STATUS**: These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

16. OTHER INFORMATION

HMIS Rating: Health-3, Fire-1, Reactive-0

Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

We believe the above information is correct as of the date of this SDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 12/07/15 Made By: Daniel Shaw

GHS X5466 printed: 01/08/16 page 8 of 8