1. PRODUCT IDENTIFICATION

TRADE NAME: GT-6784A

OTHER MEANS OF IDENTIFICATION:

RECOMMENDED USE OF

PRODUCT:

Silicone Putty - Aside

SUPPLIER'S DETAILS: GT Products, Inc.

501 Industrial Blvd.

Grapevine, TX 76051

Telephone: (800) 221-0866

(817) 481-7113

Fax: (817) 421-1211

EMERGENCY CONTACT: CHEMTREC (24 Hours):1-800-424-9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

PHYSICAL HAZARDS Not Classified

HEALTH HAZARDS Not Classified

ENVIRONMENTAL HAZARDS Not Classified

GHS LABEL ELEMENTS

PICTOGRAMS None

SIGNAL WORDS None

HAZARD STATEMENTS None

GHS GT6784A printed: 05/29/20 page 1 of 8

PRECAUTIONARY STATEMENTS

[PREVENTION] None

[RESPONSE] None

[STORAGE] None

[DISPOSAL] None

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Substance or Mixture Mixture

Hazardous Ingredients CAS# Percentage (%)

Quartz 14808-60-7 1-10

4. FIRST AID MEASURES

INGESTION: Seek medical attention; Do NOT induce vomiting.

SKIN CONTACT: Remove contaminated clothing immediately and dispose of safely.

When in contact with the skin, clean with soap and water.

INHALATION: No first aid should be needed. Remove to fresh air.

EYE CONTACT: Immediately flush with COOL water for 15 minutes; Call a

physician if irritation persists.

PROTECTION FOR FIRST-

AIDERS:

A rescuer should wear personal protective equipment, such as

rubber gloves and air-tight goggles

FIRE-FIGHTING MEASURES

GHS GT6784A printed: 05/29/20 page 2 of 8

^{*}Quartz or crystalline silica is considered to be a nuisance dust. All hazards associated with the substance are only applicable when the substance is in its respirable form. However, crystalline silica is not expected to be hazardous when compounded into a liquid polymer like its current state in this product because it is no longer respirable under normal conditions. Therefore, all hazards associated with respirable quartz are not listed.

SUITABLE EXTINGUISHING

MEDIA:

Foam, Carbon Dioxide, Dry Chemical

SPECIFIC FIRE HAZARDS: Fire will form hazardous combustion gases of Carbon dioxide(CO₂)

and Carbon Monoxide(CO)

Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

FIREFIGHTER EQUIPMENT: Wear respirator and all protective coverings.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECATIONS,
PROTECTIVE EQUIPMENT AND

EMERGENCY:

Safety glasses and gloves are suggested to prevent eye and skin

contact. Provide sufficient ventilation.

ENVIRONMENTAL PRECAUTIONS:

Prevent product from entering drains.

CLEAN UP:

Absorb spilled material with suitable absorbent (e.g. rag, dry sand,

clay absorbent) and disposed of, in accordance with appropriate

laws and regulations.

7. HANDLING AND STORAGE

HANDLING: Wear protective equipment; Avoid contact with skin and eyes.

STORAGE: Keep container tightly closed. Store in a cool, dry place. Keep

away from oxidizing material.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE LIMITS:

Hazardous Ingredient CAS# Limit/Set by

Quartz 14808-60-7 For Respirable Dust - TWA: 0.025mg/m3(ACGIH),

0.3mg/m3(OSHA)

GHS GT6784A printed: 05/29/20 page 3 of 8

ENGINEERING CONTROLS: None Available

PERSONAL PROTECTIVE

EQUIPMENT:

RESPIRATORY PROTECTION: No required under normal use

HAND PROTECTION Protective gloves

EYE PROTECTION Wear safety glasses or goggles. Face shield if situation requires

SKIN AND BODY PROTECTION Protective clothing if situation requires

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Paste

ODOR: No Odor

ODOR THRESHOLD: Not Available

pH: Not Available

MELTING POINT: Not Available

BOILING POINT RANGE: Not Applicable, will decompose before it will boil

FLASH POINT: >205°F (Setaflash)

EVAPORATION RATE: Not Available

FLAMMABILITY(solid/gas): Not Available

EXPLOSION LIMITS:

UPPER Not Available

LOWER Not Available

VAPOR PRESSURE: <0.1mbar @ 68°F

VAPOR DENSITY: All vapors are denser than air

RELATIVE DENSITY: 1.4 g/mL

SOLUBILITY: Not soluble in water

GHS GT6784A printed: 05/29/20 page 4 of 8

PARTITION COEFFICIENT: N-

OCTANOL/WATER:

Not Available

AUTO-IGNITION TEMPERATURE: Not Available

DECOMPOSITION TEMPERATURE:

>150°C

VISCOSITY: Not Available

10. STABILITY AND REACTIVITY

REACTIVITY: Product is designed to react with a catalyst to initiate

vulcanization.

CHEMICAL STABILITY: Stable in the absence of contamination

HAZARDOUS REACTIONS: None

CONDITIONS TO AVOID: Avoid contact with strong acid.

HAZARDOUS DECOMPOSITION

PRODUCTS:

Hazardous combustion gases of Carbon dioxide(CO₂), Carbon

Monoxide(CO), SiO₂.

Product contains silicone, which is known to produce

formaldehyde when temperatures reach in excess of 150°C.

Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

INCOMPATIBILITY: Acids, alkalis

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Oral – LD₅₀(Rat): 13,537 mg/kg (calculated from known toxicities)

SKIN CORROSION/IRRITATION: Not Available

EYE DAMAGE/IRRITATION: Not Available

RESPIRATORY OR SKIN Not Available

SENSITATION:

GERM CELL MUTAGENICITY: Not Available

GHS GT6784A printed: 05/29/20 page 5 of 8

GT Products, Inc.

SAFETY DATA SHEET

CARCINOGENICITY: Quartz (CAS 14808-60-7) is listed by the IARC and the NTP to

cause cancer in humans.

REPRODUCTIVE TOXICITY: Not Available

STOST- SINGLE EXPOSURE: Not Available

STOST- REPEATED EXPOSURE: Not Available

ASPIRATION HAZARD: Not Available

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Do not allow to enter soil, waterways or waste water canal. It is

not allowed to be released into biological sewage treatment

plants. Ecological data is not available.

PERSISTENCE/DEGRADABILITY: Not Available

BIOACCUMULATIVE POTENTIAL: Not Available

MOBILITY IN SOIL: Not Available

13. DISPOSAL CONSIDERATIONS

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

UN/NA Number: Not Regulated

DOT SHIPPING NAME: Not Regulated

DOT HAZARD CLASS: Not Regulated

IMDG – P.S.N.: Not Regulated

IMDG – CLASS: Not Regulated

IMDG – PACKING GROUP: Not Regulated

GHS GT6784A printed: 05/29/20 page 6 of 8

GT Products, Inc.

SAFETY DATA SHEET

IMDG – Marine Pollutant: Not Regulated

IATA - P.S.N.: Not Regulated

IATA - CLASS: Not Regulated

IATA – PACKING GROUP: Not Regulated

This product and its ingredients are NOT considered dangerous goods according to the **UN Model Regulations**, **ADR**, **RID**, and the **ADN**.

15. REGULATORY INFORMATION

US REGULATIONS

US SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

Hazardous Ingredient	SARA 302	SARA 304	SARA 313
	(40 CFR 355, Appendix A)	(40 CFR Table 302.4)	(40 CFR 372.65)
Quartz, Amorphous Silica	No	No	No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

SARA 311/312(40 CFR 370) HAZARDS: Acute: No, Chronic: No, Fire: No, Pressure: No

CALIFORNIA, (PROPOSITION 65): Quartz, Crystalline silica

TSCA INVENTORY STATUS: These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

CANADIAN DSL/NDSL INVENTORY: The components of this product are on the DSL or NDSL Inventories.

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES(AICS) STATUS: The components of this product are listed on the AICS

GHS GT6784A printed: 05/29/20 page 7 of 8

KOREAN INVENTORY: The components of this product are listed or exempted.

16. OTHER INFORMATION

HMIS Rating: Health-1, Fire-0, Reactive-0

Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

We believe the above information is correct as of the date of this MSDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 5/19/20

GHS GT6784A printed: 05/29/20 page 8 of 8

1. PRODUCT IDENTIFICATION

TRADE NAME: GT-6784 B

OTHER MEANS OF IDENTIFICATION:

RECOMMENDED USE OF

PRODUCT:

Silicone Putty - Bside

SUPPLIER'S DETAILS: GT Products, Inc.

501 Industrial Blvd.

Grapevine, TX 76051

Telephone: (800) 221-0866

(817) 481-7113

Fax: (817) 421-1211

EMERGENCY CONTACT: CHEMTREC (24 Hours):1-800-424-9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

PHYSICAL HAZARDS Not Classified

HEALTH HAZARDS Skin Irritation/Corrosion – Category 3

ENVIRONMENTAL HAZARDS Not Classified

GHS LABEL ELEMENTS

PICTOGRAMS None

SIGNAL WORDS Warning

HAZARD STATEMENTS H316: Causes mild skin irritation

PRECAUTIONARY STATEMENTS

GHS GT6784B printed: 06/11/20 page 1 of 8

[PREVE	ENTION]	None
[RESPO	ONSE]	P332+P313-If skin irritation occurs: Get medical advice/attention.
[STOR	4 <i>GE]</i>	None
[DISPC	DSAL]	None

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Substance or Mixture	Mixture		
Hazardous Ingredients	CAS#	Percentage (%)	
Siloxanes and Silicones, di-Me, hydrogen terminated	70900-21-9	1-4	
Methylhydrosiloxane-dimethylsiloxane copolymer, Hydride Terminated	69013-23-6	1-4	
4. FIRST AID MEASURES			
INGESTION:	Never give anything by mouth to an unconscious person. Rinse mouth out with water. Seek medical attention; Do NOT induce vomiting.		
SKIN CONTACT:	Remove contaminated clothing immediately and dispose of safely. When in contact with the skin, clean with soap and water. Call a physician if irritation persists. No first aid should be needed. Remove to fresh air. If not breathing, give artificial respiration		
INHALATION:			

GHS GT6784B printed: 06/11/20 page 2 of 8

EYE CONTACT: Immediately flush with COOL water for 15 minutes; Call a

physician if irritation persists.

PROTECTION FOR FIRST-

AIDERS:

A rescuer should wear personal protective equipment, such as

rubber gloves and air-tight goggles

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING

MEDIA:

Foam, Carbon Dioxide, Dry Chemical

SPECIFIC FIRE HAZARDS: Fire will form hazardous combustion gases of Carbon dioxide(CO₂)

and Carbon Monoxide(CO)

Product contains silicone, which is known to produce

formaldehyde when temperatures reach in excess of 150°C.

Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

FIREFIGHTER EQUIPMENT: Wear respirator and all protective coverings.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECATIONS,
PROTECTIVE EQUIPMENT AND

EMERGENCY:

Safety glasses and gloves are suggested to prevent eye and skin

contact. Provide sufficient ventilation.

ENVIRONMENTAL

PRECAUTIONS:

Prevent product from entering drains.

CLEAN UP: Dispose of in accordance with appropriate laws and regulations.

7. HANDLING AND STORAGE

HANDLING: Wear protective equipment; Avoid contact with skin and eyes.

STORAGE: Keep container tightly closed. Store in a cool, dry place. Keep

away from oxidizing material, in a well-ventilated area. Store

locked up.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

GHS GT6784B printed: 06/11/20 page 3 of 8

EXPOSURE LIMITS:

Hazardous Ingredient CAS# Limit/Set by

Siloxanes and Silicones, di-Me, 70900-21-

hydrogen terminated

Methylhydrosiloxane-

dimethylsiloxane copolymer,

Hydride Terminated

70900-21-9 None Established

69013-23-6 None Established

ENGINEERING CONTROLS: None Available

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION:

No required under normal use

HAND PROTECTION

Protective gloves

EYE PROTECTION

Wear safety glasses or goggles. Face shield if situation requires

SKIN AND BODY PROTECTION

Protective clothing if situation requires

PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Paste

ODOR: No Odor

ODOR THRESHOLD: Not Available

pH: Not Available

MELTING POINT: Not Available

BOILING POINT RANGE: Not Applicable, will decompose before it will boil

FLASH POINT: >205°F (Setaflash)

EVAPORATION RATE: Not Available

FLAMMABILITY(solid/gas): Not Available

EXPLOSION LIMITS:

UPPER Not Available

GHS GT6784B printed: 06/11/20 page 4 of 8

Not Available

VAPOR PRESSURE: <0.1mbar @ 68°F

VAPOR DENSITY: All vapors are denser than air

RELATIVE DENSITY: 1.4 g/ml

SOLUBILITY: Not soluble in water

PARTITION COEFFICIENT: N-

OCTANOL/WATER:

LOWER

Not Available

AUTO-IGNITION TEMPERATURE: Not Available

DECOMPOSITION TEMPERATURE:

>150°C

VISCOSITY: Not Available

10. STABILITY AND REACTIVITY

REACTIVITY: Product is designed to react with its counterpart base containing

vinyl functional groups in the presence of a platinum catalyst.

CHEMICAL STABILITY: Stable in the absence of contamination

HAZARDOUS REACTIONS: None

CONDITIONS TO AVOID: Avoid contact with strong acid.

HAZARDOUS DECOMPOSITION

PRODUCTS:

Hazardous combustion gases of Carbon dioxide(CO₂), Carbon

Monoxide(CO), SiO₂, Contact with acids or bases releases

flammable hydrogen gas.

Product contains silicone, which is known to produce

formaldehyde when temperatures reach in excess of 150°C.

Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

INCOMPATIBILITY: Acids, alkalis

11. TOXICOLOGICAL INFORMATION

GHS GT6784B printed: 06/11/20 page 5 of 8

ACUTE TOXICITY: Not Available.

SKIN CORROSION/IRRITATION: Siloxanes and Silicones, di-Me, hydrogen terminated and

Methylhydrosiloxane-dimethylsiloxane copolymer, Hydride

Terminated are listed to cause skin irritation.

EYE DAMAGE/IRRITATION: Not Available

RESPIRATORY OR SKIN Not Available

SENSITATION:

GERM CELL MUTAGENICITY: Not Available

CARCINOGENICITY: Not Available

REPRODUCTIVE TOXICITY: Not Available

STOST- SINGLE EXPOSURE: Not Available

STOST- REPEATED EXPOSURE: Not Available

ASPIRATION HAZARD: Not Available

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Do not allow to enter soil, waterways or waste water canal. It is

not allowed to be released into biological sewage treatment

plants. Ecological data is not available.

PERSISTENCE/DEGRADABILITY: Not Available

BIOACCUMULATIVE POTENTIAL: Not Available

MOBILITY IN SOIL: Not Available

13. DISPOSAL CONSIDERATIONS

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

GHS GT6784B printed: 06/11/20 page 6 of 8

UN/NA Number: Not Regulated

DOT SHIPPING NAME: Not Regulated

DOT HAZARD CLASS: Not Regulated

IMDG – P.S.N.: Not Regulated

IMDG – CLASS: Not Regulated

IMDG – PACKING GROUP: Not Regulated

IMDG – Marine Pollutant: Not Regulated

IATA - P.S.N.: Not Regulated

IATA - CLASS: Not Regulated

IATA – PACKING GROUP: Not Regulated

This product and its ingredients are NOT considered dangerous goods according to the **UN Model Regulations**, **ADR**, **RID**, and the **ADN**.

15. REGULATORY INFORMATION

US REGULATIONS

US SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

Hazardous Ingredient	SARA 302	SARA 304	SARA 313
	(40 CFR 355, Appendix A)	(40 CFR Table 302.4)	(40 CFR 372.65)
Siloxanes and Silicones, di-Me, hydrogen terminated	No	No	No
Methylhydrosiloxane-dimethylsiloxane copolymer, Hydride Terminated	No	No	No

GHS GT6784B printed: 06/11/20 page 7 of 8

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

SARA 311/312(40 CFR 370) HAZARDS: Acute: No, Chronic: No, Fire: No, Pressure: No

CALIFORNIA, (PROPOSITION 65): Neither this product nor its ingredients are listed

TSCA INVENTORY STATUS: These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

CANADIAN DSL/NDSL INVENTORY: The components of this product are on the DSL or NDSL Inventories.

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES(AICS) STATUS: The components of this product are listed on the AICS

KOREAN INVENTORY: The components of this product are listed or exempted.

16. OTHER INFORMATION

HMIS Rating: Health-1, Fire-0, Reactive-0

Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

We believe the above information is correct as of the date of this MSDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 6/11/20

GHS GT6784B printed: 06/11/20 page 8 of 8