

GT Products, Inc.  
**SAFETY DATA SHEET**

---

1. PRODUCT IDENTIFICATION

---

**TRADE NAME:** GT-6786A

**OTHER MEANS OF IDENTIFICATION:**

**RECOMMENDED USE OF PRODUCT:** Silicone Putty - Aside

**SUPPLIER'S DETAILS:** GT Products, Inc.  
501 Industrial Blvd.  
Grapevine, TX 76051  
Telephone: (800) 221-0866  
(817) 481-7113  
Fax: (817) 421-1211

**EMERGENCY CONTACT:** CHEMTREC (24 Hours):1-800-424-9300

---

2. HAZARDS IDENTIFICATION

---

**GHS CLASSIFICATION**

*PHYSICAL HAZARDS* Not Classified

*HEALTH HAZARDS* Not Classified

*ENVIRONMENTAL HAZARDS* Not Classified

**GHS LABEL ELEMENTS**

*PICTOGRAMS* None

*SIGNAL WORDS* None

*HAZARD STATEMENTS* None

GT Products, Inc.  
**SAFETY DATA SHEET**

---

*PRECAUTIONARY STATEMENTS*

<i>[PREVENTION]</i>	None
<i>[RESPONSE]</i>	None
<i>[STORAGE]</i>	None
<i>[DISPOSAL]</i>	None

---

3. COMPOSITION AND INFORMATION ON INGREDIENTS

---

**Substance or Mixture**                      Mixture

<i>Hazardous Ingredients</i>	<i>CAS#</i>	<i>Percentage (%)</i>
None	-	-

---

4. FIRST AID MEASURES

---

**INGESTION:**                                      Seek medical attention; Do NOT induce vomiting.

**SKIN CONTACT:**                                Remove contaminated clothing immediately and dispose of safely. When in contact with the skin, clean with soap and water.

**INHALATION:**                                    No first aid should be needed. Remove to fresh air.

**EYE CONTACT:**                                 Immediately flush with COOL water for 15 minutes; Call a physician if irritation persists.

**PROTECTION FOR FIRST-AIDERS:**            A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles

---

5. FIRE-FIGHTING MEASURES

---

**SUITABLE EXTINGUISHING MEDIA:**            Foam, Carbon Dioxide, Dry Chemical

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

**SPECIFIC FIRE HAZARDS:**

Fire will form hazardous combustion gases of Carbon dioxide(CO<sub>2</sub>) and Carbon Monoxide(CO)

Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a potential cancer hazard

**FIREFIGHTER EQUIPMENT:**

Wear respirator and all protective coverings.

---

6. ACCIDENTAL RELEASE MEASURES

---

**PERSONAL PRECAUTIONS,  
PROTECTIVE EQUIPMENT AND  
EMERGENCY:**

Safety glasses and gloves are suggested to prevent eye and skin contact. Provide sufficient ventilation.

**ENVIRONMENTAL  
PRECAUTIONS:**

Prevent product from entering drains.

**CLEAN UP:**

Absorb spilled material with suitable absorbent (e.g. rag, dry sand, clay absorbent) and disposed of, in accordance with appropriate laws and regulations.

---

7. HANDLING AND STORAGE

---

**HANDLING:**

Wear protective equipment; Avoid contact with skin and eyes.

**STORAGE:**

Keep container tightly closed. Store in a cool, dry place. Keep away from oxidizing material.

---

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

---

**EXPOSURE LIMITS:**

*Hazardous Ingredient*

*CAS#*

*Limit/Set by*

None

**ENGINEERING CONTROLS:**

None Available

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

**PERSONAL PROTECTIVE  
EQUIPMENT:**

<i>RESPIRATORY PROTECTION:</i>	No required under normal use
<i>HAND PROTECTION</i>	Protective gloves
<i>EYE PROTECTION</i>	Wear safety glasses or goggles. Face shield if situation requires
<i>SKIN AND BODY PROTECTION</i>	Protective clothing if situation requires

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

---

<b>PHYSICAL STATE:</b>	Paste
<b>ODOR:</b>	No Odor
<b>ODOR THRESHOLD:</b>	Not Available
<b>pH:</b>	Not Available
<b>MELTING POINT:</b>	Not Available
<b>BOILING POINT RANGE:</b>	Not Applicable, will decompose before it will boil
<b>FLASH POINT:</b>	>205°F (Setaflash)
<b>EVAPORATION RATE:</b>	Not Available
<b>FLAMMABILITY(solid/gas):</b>	Not Available
<b>EXPLOSION LIMITS:</b>	
<i>UPPER</i>	Not Available
<i>LOWER</i>	Not Available
<b>VAPOR PRESSURE:</b>	<0.1mbar @ 68°F
<b>VAPOR DENSITY:</b>	All vapors are denser than air
<b>RELATIVE DENSITY:</b>	1.5 g/mL
<b>SOLUBILITY:</b>	Not soluble in water
<b>PARTITION COEFFICIENT: N- OCTANOL/WATER:</b>	Not Available
<b>AUTO-IGNITION TEMPERATURE:</b>	Not Available

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

**DECOMPOSITION**

**TEMPERATURE:**

>150°C

**VISCOSITY:**

Not Available

---

10. STABILITY AND REACTIVITY

---

**REACTIVITY:**

Product is designed to react with a catalyst to initiate vulcanization.

**CHEMICAL STABILITY:**

Stable in the absence of contamination

**HAZARDOUS REACTIONS:**

None

**CONDITIONS TO AVOID:**

Avoid contact with strong acid.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

Hazardous combustion gases of Carbon dioxide(CO<sub>2</sub>), Carbon Monoxide(CO), SiO<sub>2</sub>.

Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a potential cancer hazard

**INCOMPATIBILITY:**

Acids, alkalis

---

11. TOXICOLOGICAL INFORMATION

---

**ACUTE TOXICITY:**

Not Available

**SKIN CORROSION/IRRITATION:**

Not Available

**EYE DAMAGE/IRRITATION:**

Not Available

**RESPIRATORY OR SKIN**

Not Available

**SENSITATION:**

**GERM CELL MUTAGENICITY:**

Not Available

**CARCINOGENICITY:**

Not Available

**REPRODUCTIVE TOXICITY:**

Not Available

**STOST- SINGLE EXPOSURE:**

Not Available

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

**STOST- REPEATED EXPOSURE:** Not Available

**ASPIRATION HAZARD:** Not Available

---

12. ECOLOGICAL INFORMATION

---

**ECOTOXICITY:** Do not allow to enter soil, waterways or waste water canal. It is not allowed to be released into biological sewage treatment plants. Ecological data is not available.

**PERSISTENCE/DEGRADABILITY:** Not Available

**BIOACCUMULATIVE POTENTIAL:** Not Available

**MOBILITY IN SOIL:** Not Available

---

13. DISPOSAL CONSIDERATIONS

---

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

---

14. TRANSPORT INFORMATION

---

**UN/NA Number:** Not Regulated

**DOT SHIPPING NAME:** Not Regulated

**DOT HAZARD CLASS:** Not Regulated

**IMDG – P.S.N.:** Not Regulated

**IMDG – CLASS:** Not Regulated

**IMDG – PACKING GROUP:** Not Regulated

**IMDG – Marine Pollutant:** Not Regulated

**IATA - P.S.N.:** Not Regulated

**IATA - CLASS:** Not Regulated

---

GT Products, Inc.  
**SAFETY DATA SHEET**

**IATA – PACKING GROUP:**

Not Regulated

This product and its ingredients are NOT considered dangerous goods according to the **UN Model Regulations, ADR, RID,** and the **ADN.**

15. REGULATORY INFORMATION

**US REGULATIONS**

**US SARA REPORTING REQUIREMENTS:** The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

<i>Hazardous Ingredient</i>	<i>SARA 302</i> <i>(40 CFR 355, Appendix A)</i>	<i>SARA 304</i> <i>(40 CFR Table 302.4)</i>	<i>SARA 313</i> <i>(40 CFR 372.65)</i>
None	No	No	No

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**SARA 311/312(40 CFR 370) HAZARDS:** Acute: No, Chronic: No, Fire: No, Pressure: No

**CALIFORNIA, (PROPOSITION 65):** Neither this product nor its ingredients are listed

**TSCA INVENTORY STATUS:** These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

**CANADIAN DSL/NDSL INVENTORY:** The components of this product are on the DSL or NDSL Inventories.

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES(AICS) STATUS:** The components of this product are listed on the AICS

**KOREAN INVENTORY:** The components of this product are listed or exempted.

16. OTHER INFORMATION

GT Products, Inc.  
**SAFETY DATA SHEET**

**HMIS Rating: Health-1, Fire-0, Reactive-0**

Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

We believe the above information is correct as of the date of this MSDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 05/19/20



GT Products, Inc.  
**SAFETY DATA SHEET**

---

1. PRODUCT IDENTIFICATION

---

**TRADE NAME:** GT-6786B

**OTHER MEANS OF IDENTIFICATION:**

**RECOMMENDED USE OF PRODUCT:** Silicone Putty - Bside

**SUPPLIER'S DETAILS:** GT Products, Inc.  
501 Industrial Blvd.  
Grapevine, TX 76051  
Telephone: (800) 221-0866  
(817) 481-7113  
Fax: (817) 421-1211

**EMERGENCY CONTACT:** CHEMTREC (24 Hours):1-800-424-9300

---

2. HAZARDS IDENTIFICATION

---

**GHS CLASSIFICATION**

*PHYSICAL HAZARDS* Not Classified

*HEALTH HAZARDS* Skin Irritation/Corrosion – Category 3

*ENVIRONMENTAL HAZARDS* Not Classified

**GHS LABEL ELEMENTS**

*PICTOGRAMS* None

*SIGNAL WORDS* Warning

*HAZARD STATEMENTS* H316: Causes mild skin irritation

*PRECAUTIONARY STATEMENTS*

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

<i>[PREVENTION]</i>	None
<i>[RESPONSE]</i>	P332+P313-If skin irritation occurs: Get medical advice/attention.
<i>[STORAGE]</i>	None
<i>[DISPOSAL]</i>	None

---

3. COMPOSITION AND INFORMATION ON INGREDIENTS

---

**Substance or Mixture**                      Mixture

<i>Hazardous Ingredients</i>	<i>CAS#</i>	<i>Percentage (%)</i>
Methylhydrosiloxane-dimethylsiloxane copolymer, Hydride Terminated	69013-23-6	3-5

---

4. FIRST AID MEASURES

---

<b><i>INGESTION:</i></b>	Never give anything by mouth to an unconscious person. Rinse mouth out with water. Seek medical attention; Do NOT induce vomiting.
<b><i>SKIN CONTACT:</i></b>	Remove contaminated clothing immediately and dispose of safely. When in contact with the skin, clean with soap and water. Call a physician if irritation persists.
<b><i>INHALATION:</i></b>	No first aid should be needed. Remove to fresh air. If not breathing, give artificial respiration
<b><i>EYE CONTACT:</i></b>	Immediately flush with COOL water for 15 minutes; Call a physician if irritation persists.

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

**PROTECTION FOR FIRST-AIDERS:**

A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles

---

5. FIRE-FIGHTING MEASURES

---

**SUITABLE EXTINGUISHING MEDIA:**

Foam, Carbon Dioxide, Dry Chemical

**SPECIFIC FIRE HAZARDS:**

Fire will form hazardous combustion gases of Carbon dioxide(CO<sub>2</sub>) and Carbon Monoxide(CO)

Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a potential cancer hazard

**FIREFIGHTER EQUIPMENT:**

Wear respirator and all protective coverings.

---

6. ACCIDENTAL RELEASE MEASURES

---

**PERSONAL PRECATIONS, PROTECTIVE EQUIPMENT AND EMERGENCY:**

Safety glasses and gloves are suggested to prevent eye and skin contact. Provide sufficient ventilation.

**ENVIRONMENTAL PRECAUTIONS:**

Prevent product from entering drains.

**CLEAN UP:**

Dispose of in accordance with appropriate laws and regulations.

---

7. HANDLING AND STORAGE

---

**HANDLING:**

Wear protective equipment; Avoid contact with skin and eyes.

**STORAGE:**

Keep container tightly closed. Store in a cool, dry place. Keep away from oxidizing material, in a well-ventilated area. Store locked up.

---

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

---

**EXPOSURE LIMITS:**

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

<i>Hazardous Ingredient</i>	<i>CAS#</i>	<i>Limit/Set by</i>
Methylhydrosiloxane- dimethylsiloxane copolymer, Hydride Terminated	69013-23-6	None Established

---

**ENGINEERING CONTROLS:** None Available

**PERSONAL PROTECTIVE  
EQUIPMENT:**

*RESPIRATORY PROTECTION:* No required under normal use

*HAND PROTECTION* Protective gloves

*EYE PROTECTION* Wear safety glasses or goggles. Face shield if situation requires

*SKIN AND BODY PROTECTION* Protective clothing if situation requires

---

9. PHYSICAL AND CHEMICAL PROPERTIES

---

**PHYSICAL STATE:** Paste

**ODOR:** No Odor

**ODOR THRESHOLD:** Not Available

**pH:** Not Available

**MELTING POINT:** Not Available

**BOILING POINT RANGE:** Not Applicable, will decompose before it will boil

**FLASH POINT:** >205°F (Setaflash)

**EVAPORATION RATE:** Not Available

**FLAMMABILITY(solid/gas):** Not Available

**EXPLOSION LIMITS:**

*UPPER* Not Available

*LOWER* Not Available

**VAPOR PRESSURE:** <0.1mbar @ 68°F

**VAPOR DENSITY:** All vapors are denser than air

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

**RELATIVE DENSITY:** 1.5 g/mL

**SOLUBILITY:** Not soluble in water

**PARTITION COEFFICIENT: N-OCTANOL/WATER:** Not Available

**AUTO-IGNITION TEMPERATURE:** Not Available

**DECOMPOSITION TEMPERATURE:** >150°C

**VISCOSITY:** Not Available

---

10. STABILITY AND REACTIVITY

---

**REACTIVITY:** Product is designed to react with its counterpart base containing vinyl functional groups in the presence of a platinum catalyst.

**CHEMICAL STABILITY:** Stable in the absence of contamination

**HAZARDOUS REACTIONS:** None

**CONDITIONS TO AVOID:** Avoid contact with strong acid.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Hazardous combustion gases of Carbon dioxide(CO<sub>2</sub>), Carbon Monoxide(CO), SiO<sub>2</sub>, Contact with acids or bases releases flammable hydrogen gas.

Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a potential cancer hazard

**INCOMPATIBILITY:** Acids, alkalis

---

11. TOXICOLOGICAL INFORMATION

---

**ACUTE TOXICITY:** Not Available.

**SKIN CORROSION/IRRITATION:** Methylhydrosiloxane-dimethylsiloxane copolymer, Hydride Terminated is listed to cause skin irritation.

**EYE DAMAGE/IRRITATION:** Not Available

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

**RESPIRATORY OR SKIN** Not Available

**SENSITATION:**

**GERM CELL MUTAGENICITY:** Not Available

**CARCINOGENICITY:** Not Available

**REPRODUCTIVE TOXICITY:** Not Available

**STOST- SINGLE EXPOSURE:** Not Available

**STOST- REPEATED EXPOSURE:** Not Available

**ASPIRATION HAZARD:** Not Available

---

12. ECOLOGICAL INFORMATION

---

**ECOTOXICITY:** Do not allow to enter soil, waterways or waste water canal. It is not allowed to be released into biological sewage treatment plants. Ecological data is not available.

**PERSISTENCE/DEGRADABILITY:** Not Available

**BIOACCUMULATIVE POTENTIAL:** Not Available

**MOBILITY IN SOIL:** Not Available

---

13. DISPOSAL CONSIDERATIONS

---

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

---

14. TRANSPORT INFORMATION

---

**UN/NA Number:** Not Regulated

**DOT SHIPPING NAME:** Not Regulated

**DOT HAZARD CLASS:** Not Regulated

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

**IMDG – P.S.N.:** Not Regulated  
**IMDG – CLASS:** Not Regulated  
**IMDG – PACKING GROUP:** Not Regulated  
**IMDG – Marine Pollutant:** Not Regulated  
**IATA - P.S.N.:** Not Regulated  
**IATA - CLASS:** Not Regulated  
**IATA – PACKING GROUP:** Not Regulated

This product and its ingredients are NOT considered dangerous goods according to the **UN Model Regulations, ADR, RID,** and the **ADN.**

---

## 15. REGULATORY INFORMATION

---

### **US REGULATIONS**

**US SARA REPORTING REQUIREMENTS:** The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

<i>Hazardous Ingredient</i>	<i>SARA 302</i>	<i>SARA 304</i>	<i>SARA 313</i>
	<i>(40 CFR 355, Appendix A)</i>	<i>(40 CFR Table 302.4)</i>	<i>(40 CFR 372.65)</i>

---

Methylhydrosiloxane-dimethylsiloxane copolymer, Hydride Terminated	No	No	No
--------------------------------------------------------------------	----	----	----

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**SARA 311/312(40 CFR 370) HAZARDS:** Acute: No, Chronic: No, Fire: No, Pressure: No

**CALIFORNIA, (PROPOSITION 65):** Neither this product nor its ingredients are listed

**TSCA INVENTORY STATUS:** These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

---

GT Products, Inc.  
**SAFETY DATA SHEET**

---

**CANADIAN DSL/NDSL INVENTORY:** The components of this product are on the DSL or NDSL Inventories.

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES(AICS) STATUS:** The components of this product are listed on the AICS

**KOREAN INVENTORY:** The components of this product are listed or exempted.

---

## 16. OTHER INFORMATION

---

**HMIS Rating: Health-1, Fire-0, Reactive-0**

Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

We believe the above information is correct as of the date of this MSDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 06/11/20