GT Products, Inc. **SAFETY DATA SHEET**

1. PRODUCT IDENTIFICATION

TRADE NAME: GT-60P

OTHER MEANS OF IDENTIFICATION:

RECOMMENDED USE OF

PRODUCT: SUPPLIER'S DETAILS:

IER'S DETAILS:

GT Products, Inc.

501 Industrial Blvd. Grapevine, TX 76051

Mold-making Rubber

Telephone: (800) 221-0866

(817) 481-7113 Fax: (817) 421-1211

EMERGENCY CONTACT: CHEMTREC (24 Hours):1-800-424-9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

PHYSICAL HAZARDS Not Classified
HEALTH HAZARDS Not Classified
ENVIRONMENTAL HAZARDS Not Classified

GHS LABEL ELEMENTS

PICTOGRAMS None

SIGNAL WORDS None HAZARD STATEMENTS None

PRECAUTIONARY STATEMENTS

[PREVENTION]None[RESPONSE]None[STORAGE]None[DISPOSAL]None

3. COMPOSITION AND INFORMATION ON INGREDIENTS

GHS GT60P printed: 02/12/18 page 1 of 5

GT Products, Inc. **SAFETY DATA SHEET**

Substance or Mixture	Mixture	
Hazardous Ingredients	CAS#	Percentage (%)
Quartz	14808-60-7	30-40

^{*}Quartz or crystalline silica is considered to be a nuisance dust. All hazards associated with the substance are only applicable when the substance is in its respirable form. However, crystalline silica is not expected to be hazardous when compounded into a liquid polymer like its current state in this product because it is no longer respirable under normal conditions. Therefore, all hazards associated with respirable quartz are not listed.

4. FIRST AID MEASURES

INGESTION: Seek medical attention; Do NOT induce vomiting.

SKIN CONTACT: Remove contaminated clothing immediately and dispose of safely.

When in contact with the skin, clean with soap and water.

INHALATION: No first aid should be needed. Remove to fresh air.

EYE CONTACT: Immediately flush with COOL water for 15 minutes; Call a

physician if irritation persists.

PROTECTION FOR FIRST-

AIDERS:

A rescuer should wear personal protective equipment, such as

rubber gloves and air-tight goggles

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING

MEDIA:

SPECIFIC FIRE HAZARDS:

Foam, carbon dioxide, dry chemical

Fire will form hazardous combustion gases of carbon dioxide (CO₂), carbon monoxide (CO), SiO₂, and oxides of nitrogen (NO_x).

Product contains silicone, which is known to produce

formaldehyde when temperatures reach in excess of 150°C.

Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

FIREFIGHTER EQUIPMENT: Wear respirator and all protective coverings.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECATIONS,
PROTECTIVE EQUIPMENT AND

PROTECTIVE EQUIPMENT AND

EMERGENCY: ENVIRONMENTAL PRECAUTIONS: CLEAN UP: Safety glasses and gloves are suggested to prevent eye and skin

contact. Provide sufficient ventilation.

Prevent product from entering drains.

Scrape up and disposed of in accordance with appropriate laws

and regulations.

7. HANDLING AND STORAGE

GHS GT60P printed: 02/12/18 page 2 of 5

SAFETY DATA SHEET

HANDLING: Wear protective equipment; Avoid contact with skin and eyes.

STORAGE: Keep container tightly closed. Store in a cool, dry place. Keep

away from oxidizing material.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE LIMITS:

Hazardous Ingredient CAS# Limit/Set by

Quartz 14808-60-7 For Respirable Dust - TWA: 0.025mg/m3(ACGIH),

0.3mg/m3(OSHA)

ENGINEERING CONTROLS: None Available

PERSONAL PROTECTIVE

EQUIPMENT:

RESPIRATORY PROTECTION: Not required under normal use

HAND PROTECTION Protective gloves

EYE PROTECTION Wear safety glasses or goggles. Face shield if situation requires

SKIN AND BODY PROTECTION Protective clothing if situation requires

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Flowable Paste

ODOR:
ODOR THRESHOLD:
PH:
Not Available
Not Available
Not Available

BOILING POINT RANGE: Not Applicable, will decompose before it will boil

FLASH POINT: >205°F (Setaflash)
EVAPORATION RATE: Not Available
FLAMMABILITY(solid/gas): Not Available

EXPLOSION LIMITS:

UPPERLOWERNot AvailableVAPOR PRESSURE:Not Available<0.1mbar @ 68°F

VAPOR DENSITY: All vapors are denser than air

RELATIVE DENSITY: 1.36 g/mL

SOLUBILITY: Not soluble in water

PARTITION COEFFICIENT: N-

OCTANOL/WATER: Not Available AUTO-IGNITION TEMPERATURE: Not Available

DECOMPOSITION

TEMPERATURE: >150°C **VISCOSITY:** 53,000 cP

10. STABILITY AND REACTIVITY

GHS GT60P printed: 02/12/18 page 3 of 5

SAFETY DATA SHEET

REACTIVITY: Product is designed to react with a catalyst to initiate

vulcanization.

CHEMICAL STABILITY: Stable in the absence of contamination

HAZARDOUS REACTIONS: None

CONDITIONS TO AVOID: HAZARDOUS DECOMPOSITION

PRODUCTS:

Avoid contact with strong acids, alkalis, and oxidizing agents. Hazardous combustion gases of carbon dioxide(CO_2), carbon

monoxide(CO), SiO₂, and oxides of nitrogen (NO_x). Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

INCOMPATIBILITY: Acids, Alkalis, Oxidizing Agents

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Oral – LD₅₀(Rat): 8186 mg/kg (calculated from known toxicities)

SKIN CORROSION/IRRITATION:
EYE DAMAGE/IRRITATION:
RESPIRATORY OR SKIN
Not Available
Not Available

SENSITATION:

GERM CELL MUTAGENICITY: Not Available

CARCINOGENICITY: Quartz (CAS 14808-60-7) is listed by the IARC and the NTP to

cause cancer in humans.

REPRODUCTIVE TOXICITY:
STOST- SINGLE EXPOSURE:
Not Available
Not Available
Not Available
Not Available

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Do not allow to enter soil, waterways or waste water canal. It is

not allowed to be released into biological sewage treatment

plants. Ecological data is not available.

PERSISTENCE/DEGRADABILITY: Not Available **BIOACCUMULATIVE POTENTIAL:** Not Available **MOBILITY IN SOIL:** Not Available

13. DISPOSAL CONSIDERATIONS

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

UN/NA Number:Not RegulatedDOT SHIPPING NAME:Not RegulatedDOT HAZARD CLASS:Not Regulated

IMDG – P.S.N.: Not Regulated

GHS GT60P printed: 02/12/18 page 4 of 5

SAFETY DATA SHEET

IMDG – CLASS:	Not Regulated
IMDG – PACKING GROUP:	Not Regulated
IMDG – Marine Pollutant:	Not Regulated
IATA - P.S.N.:	Not Regulated
IATA - CLASS:	Not Regulated
IATA – PACKING GROUP:	Not Regulated

This product and its ingredients are NOT considered dangerous goods according to the **UN Model Regulations**, **ADR**, **RID**, and the **ADN**.

15. REGULATORY INFORMATION

US REGULATIONS

US SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act. and are listed as follows:

Hazardous Ingredient	SARA 302 (40 CFR 355, Appendix A)	SARA 304 (40 CFR Table 302.4)	SARA 313 (40 CFR 372.65)
Quartz, Amorphous Silica	No	No	No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

SARA 311/312(40 CFR 370) HAZARDS: Acute: No, Chronic: No, Fire: No, Pressure: No

CALIFORNIA, (PROPOSITION 65): Quartz, Crystalline silica

TSCA INVENTORY STATUS: These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

16. OTHER INFORMATION

HMIS Rating: Health-1, Fire-0, Reactive-0

This product contains crystalline silica which is hazardous if it is inhaled. However, in this product, the silica is wetted out with various polyorganosiloxanes to where it is no longer in powder form, meaning it is incapable of becoming airborne under normal use conditions. Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

We believe the above information is correct as of the date of this MSDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 2/12/18 Made By: Daniel Shaw

GHS GT60P printed: 02/12/18 page 5 of 5

GT Products, Inc. **SAFETY DATA SHEET**

1. PRODUCT IDENTIFICATION

TRADE NAME: OTHER MEANS OF IDENTIFICATION: CA-60P

RECOMMENDED USE OF

Curing Agent for Mold-making Rubber

PRODUCT: SUPPLIER'S DETAILS:

GT Products, Inc. 501 Industrial Blvd. Grapevine, TX 76051

Telephone: (800) 221-0866

(817) 481-7113 Fax: (817) 421-1211

EMERGENCY CONTACT: CHEMTREC (24 Hours):1-800-424-9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

PHYSICAL HAZARDS Not Classified
HEALTH HAZARDS Not Classified
ENVIRONMENTAL HAZARDS Not Classified

GHS LABEL ELEMENTS

PICTOGRAMSNoneSIGNAL WORDSNoneHAZARD STATEMENTSNone

PRECAUTIONARY STATEMENTS

[PREVENTION]None[RESPONSE]None[STORAGE]None[DISPOSAL]None

3. COMPOSITION AND INFORMATION ON INGREDIENTS

 Substance or Mixture
 Mixture

 Hazardous Ingredients
 CAS#
 Percentage (%)

 None
 NA
 NA

4. FIRST AID MEASURES

GHS CA60P printed: 05/28/20 page 1 of 5

SAFETY DATA SHEET

INGESTION: Rinse mouth. Never give anything by mouth to an unconscious

person. Seek medical attention; Do NOT induce vomiting.

Remove contaminated clothing immediately and dispose of safely. **SKIN CONTACT:**

When in contact with the skin, clean with soap and water.

INHALATION: Remove to fresh air. Oxygen or artificial respiration if needed. Do

not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Call a physician if symptoms develop or persist.

EYE CONTACT: Immediately flush with COOL water for 15 minutes; Call a

physician if irritation persists.

PROTECTION FOR FIRST-

A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles

AIDERS:

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING

Foam, carbon dioxide, dry chemical

MEDIA:

SPECIFIC FIRE HAZARDS:

Fire will form hazardous combustion gases of carbon dioxide (CO_2) , carbon monoxide (CO), SiO_2 , and oxides of nitrogen (NO_x) .

Product contains silicone, which is known to produce

formaldehyde when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

FIREFIGHTER EQUIPMENT:

Wear respirator and all protective coverings.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECATIONS,

PROTECTIVE EQUIPMENT AND

EMERGENCY: ENVIRONMENTAL PRECAUTIONS: CLEAN UP:

Safety glasses and gloves are suggested to prevent eye and skin

contact. Provide sufficient ventilation.

Prevent product from entering drains.

Scrape up and disposed of in accordance with appropriate laws

and regulations.

7. HANDLING AND STORAGE

HANDLING: Wear protective equipment; Avoid contact with skin and eyes.

STORAGE: Keep container tightly closed. Store in a cool, dry place. Keep

away from oxidizing material. Store locked up

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE LIMITS:

Hazardous Ingredient CAS# Limit/Set by None NA

GHS CA60P printed: 05/28/20 page 2 of 5

SAFETY DATA SHEET

ENGINEERING CONTROLS: None Available

PERSONAL PROTECTIVE EOUIPMENT:

RESPIRATORY PROTECTION: No required under normal use

HAND PROTECTION Protective gloves

EYE PROTECTION Wear safety glasses or goggles. Face shield if situation requires

SKIN AND BODY PROTECTION Protective clothing if situation requires

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

ODOR:

ODOR THRESHOLD:

PH:

Liquid

No Odor

Not Available

Not Available

MELTING POINT: Not Available

BOILING POINT RANGE: Not Applicable, will decompose before it will boil

FLASH POINT: >205°F
EVAPORATION RATE: Not Available
FLAMMABILITY(solid/gas): Not Available

EXPLOSION LIMITS:

UPPERLOWERNot AvailableVAPOR PRESSURE:Not Available<0.1mbar @ 68°F

VAPOR DENSITY: All vapors are denser than air

RELATIVE DENSITY: 1.0 g/mL

SOLUBILITY: Not soluble in water

PARTITION COEFFICIENT: N-

OCTANOL/WATER: Not Available AUTO-IGNITION TEMPERATURE: Not Available

DECOMPOSITION

TEMPERATURE: >150°C **VISCOSITY:** 3,300 cP

10. STABILITY AND REACTIVITY

REACTIVITY: Product is designed to react with its counterpart base containing

vinyl functional groups in the presence of a platinum catalyst.

CHEMICAL STABILITY: Stable in the absence of contamination

HAZARDOUS REACTIONS: None

CONDITIONS TO AVOID: Avoid contact with strong acid.

HAZARDOUS DECOMPOSITION Hazardous combustion gases of Carbon dioxide(CO₂), Carbon

PRODUCTS: Monoxide(CO), SiO₂, Contact with acids or bases releases

flammable hydrogen gas.

Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C.

Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

INCOMPATIBILITY: Acids, alkalis

11. TOXICOLOGICAL INFORMATION

GHS CA60P printed: 05/28/20 page 3 of 5

SAFETY DATA SHEET

ACUTE TOXICITY:
SKIN CORROSION/IRRITATION:
EYE DAMAGE/IRRITATION:
RESPIRATORY OR SKIN
Not Available
Not Available

SENSITATION:

GERM CELL MUTAGENICITY:
CARCINOGENICITY:
REPRODUCTIVE TOXICITY:
STOST- SINGLE EXPOSURE:
STOST- REPEATED EXPOSURE:
ASPIRATION HAZARD:
Not Available
Not Available

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Do not allow to enter soil, waterways or waste water canal. It is

not allowed to be released into biological sewage treatment

plants. Ecological data is not available.

PERSISTENCE/DEGRADABILITY: Not Available **BIOACCUMULATIVE POTENTIAL:** Not Available **MOBILITY IN SOIL:** Not Available

13. DISPOSAL CONSIDERATIONS

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

UN/NA Number: Not Regulated

DOT SHIPPING NAME: Not Regulated **DOT HAZARD CLASS:** Not Regulated

IMDG - P.S.N.:Not RegulatedIMDG - CLASS:Not RegulatedIMDG - PACKING GROUP:Not RegulatedIMDG - Marine Pollutant:Not RegulatedIATA - P.S.N.:Not RegulatedIATA - CLASS:Not RegulatedIATA - PACKING GROUP:Not Regulated

This product and its ingredients are NOT considered dangerous goods according to the *UN Model Regulations*, ADR, RID, and the ADN.

15. REGULATORY INFORMATION

GHS CA60P printed: 05/28/20 page 4 of 5

SAFETY DATA SHEET

US REGULATIONS

US SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

Hazardous Ingredient	SARA 302	SARA 304	SARA 313
	(40 CFR 355,	(40 CFR Table	(40 CFR 372.65)
	Appendix A)	<i>302.4)</i>	
None	No	No	No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

SARA 311/312(40 CFR 370) HAZARDS: Acute: No, Chronic: No, Fire: No, Pressure: No **CALIFORNIA, (PROPOSITION 65):** Neither this product nor its ingredients are listed

TSCA INVENTORY STATUS: These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

Control Act (13CA).

16.OTHER INFORMATION

HMIS Rating: Health-1, Fire-0, Reactive-0

Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

We believe the above information is correct as of the date of this MSDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 2/15/17 Made By: Daniel Shaw

GHS CA60P printed: 05/28/20 page 5 of 5